

From: [REDACTED]
To: [REDACTED]
Subject: Re: Fwd: Monthly report on the electronic auctions suite project

[REDACTED]
Thanks. I am suitably reassured and I am grateful to [REDACTED] for sharing my concern and for having dealt with the issue effectively.

[REDACTED]
>>> [REDACTED] 08/11/00 14:31:32 >>>

[REDACTED]
Please see [REDACTED]'s response attached.
[REDACTED]

CC: [REDACTED]

From: [REDACTED]
To: [REDACTED]
Date: 08 November 2000 14:16:49
Subject: Re: Fwd: Monthly report on the electronic auctions suite project

[REDACTED]
I share the concerns expressed by [REDACTED] regarding the removal of asbestos. I am pleased to say that the asbestos found was an isolated incidence and that we are now so far into the building work that other finds are unlikely.

The work was completed in a professional manner and we hold copies of the following documents in relation to the work carried out :

1. The Health and Safety Executive (HSE) notification form fully signed off.
2. A Method Statement Plan of Work (ten pages)
3. An analysis of the air after the work was completed.

I have suggested to RTCG that they may wish to bring the error in the report to the attention of the author.

Please advise [REDACTED] that all that could be done to protect the RA position has been done.

Regards

[REDACTED]
>>> [REDACTED] 11/03/00 11:32 >>>

[REDACTED]
Could I have your urgent comments, please.
[REDACTED]